



SHREE BASAVESHWAR SUGARS LIMITED

001

CIN - U15421KA2001PLC028434

No. SBSL/ENV/EC/COMP/2025-26/ 519

Date: 28/11/2025

To,
The Additional Principal Chief Conservator of Forest (C),
Ministry of Environment, Forests & Climate Change
Kendriyasadan. 4th Floor, E&F wing, Koramangala
Bangalore 560034

Sir,

Sub: Submission of Compliance Report for Environmental Clearance conditions imposed on expansion of Sugar mill from 3500 TCD to 12000 TCD, Distillery 50 KLPD to 240 KLPD & Cogeneration Plant from 26 MW to 50 MW at Sy no. 9/1, 9/3, 18/3, 19, 20, 22, 33, 34, 35, 36, 37/1, 37/2, 38 & 39 at village Karjol, Babaleshwar Taluk and Vijayapura Dist, Karnataka by M/s Shree Basaveshwar Sugars Ltd....

Ref: F No. J-11011/57/2012-IA II (I) Dated: 10th October 2022, EC Identification No.
EC22A022KA17737

With reference to the above cited subject, we are here by attached half yearly compliance report for the period 1st Jan-2025 to 30th June 2025. Kindly accept the same and do the needful.

Thanking You
Yours Faithfully,

For M/s Shree Basaveshwar Sugars Ltd.,

Authorized Signatory



Encl: Compliance Report & Annexures

Registered Office : CTS NO 13/E, Plot No 6, Ward No 21, Gurupadeshwar Nagar, Basavan Bagewadi
Road, Vijayapur - 586109.

Factory : NH-218, Karjol-Village. Tq. Babaleshwar, Dist : Vijayapur- 586170 (KA) Ph : 08426-289111.

**M/s SHREE BASAVESHWAR SUGARS LIMITED, KARJOL VILLAGE,
VIJAYAPURA DISTRICT, KARNATAKA**

**COMPLIANCE REPORT FOR THE CONDITIONS LAID IN THE
ENVIRONMENTAL CLEARANCE VIDE, EC Identification No.
EC22A022KA17737 DATED: 10/10/2022 (For the period of 1st July- 2025 to
31st December 2025).**

A. Specific conditions

(i)	As per the Notification S.O. 2339(E), dated 16 th June, 2021, project falls in category B2 and the proposed expansion capacity of 190 KLPD & 8500 TCD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed and complied. Following configuration of plant has been commissioned at site for which CFE & CFO also obtained from KSPCB. <ul style="list-style-type: none">• Sugar: 7000 TCD• Distillery: 120 KLPD• Co-gen : 26 MW & 3 MW
(ii)	Sugarcane syrup from 8500 TCD sugar mill shall be used as raw material for distillery only and not for producing sugar.	Noted and same is followed. No sugar is produced.
(iii)	Industry shall install air-cooled condensers for sugar mill and distillery unit	Noted. once complete plant established, air-cooled condensers for sugar mill and distillery unit will be installed.
(iv)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. All public hearing issues shall be properly addressed as per timeline and budget submitted.	Noted and environmental protection measures and proposed safeguards implementation are under progress. Public hearing was not required under EBP programme.
(v)	NOC from the Concerned Local authority for surface water supply shall be obtained before start of the construction of plant, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.	Agreed. River Water withdrawal permission has been obtained from KBJNL/ Irrigation department, Alamatti. The same is attached as Annexure-1 .



(vi)	<p>Total Fresh water requirement shall not exceed 1601 m3/day which will be met from Krishna River/Alamatti Dam. Prior permission shall be obtained for fresh water withdrawal before start of construction activities. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.</p>	<p>Total fresh water consumption is 563 KLD and for lifting from Krishna River (Alamatti dam) permission has been obtained. No ground water extraction within the premises.</p> <p>Rain water storage facilities of are being installed.</p>
(vii)	<p>Spent wash shall be concentrated in MEE and incinerated. The condensate, spent lees and utilities effluent shall be treated in the ETP comprising tertiary treatment (Condensate Polishing Unit). Treated effluent from existing and proposed expansion of sugar and distillery unit shall be recycled/reused for makeup water of cooling towers/process etc. and no wastewater or treated water shall be discharged outside the premises. Air-cooled condensers for sugar mill as well as distillery. STP shall be installed to treat sewage generated from factory premises.</p>	<p>The generated raw spent wash is concentrated in a well-designed MEE and the concentrated spent wash is incinerated in 30 TPH incineration boiler.</p> <p>The generated condensate and spent lee from distillery unit is treated in well-designed Condensate Polishing Unit (anaerobic followed by two stage aeration system with tertiary system) of having capacity 1500 m3/day. CPU treated water is being recycled/reused for makeup water of cooling towers /process etc.</p>
(viii)	<p>Existing 3 fields ESP of sugar mill shall be upgraded to achieve norms of 50 mg/Nm3. ESP of 5 fields along with stack of adequate height (80 m) shall be provided with 45 TPH spent wash/coal/biomass fired boiler to control particulate emission within 30 mg/Nm3. SO2 and NOx emissions shall be less than 100 mg/Nm3. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the unit the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices systems will be conducted annually.</p>	<p>Existing 03 field ESP of sugar mill performance is good for the sugar cane crushing rate 7000 TCD and meeting the desired results and 04 field ESP of distillery plant performance is also good to incinerate spent wash generated from 120 KLPD distillery. Chimney emission analysis is done in season regularly to ascertain the air quality levels meeting the standards.</p>
(ix)	<p>Boiler ash shall be utilized for brick making in brick manufacturing units. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used. PP shall meet 10% of the total power requirement from solar power by generating power</p>	<p>Boiler ash is being utilized for brick manufacturing units. Agreement is made with brick manufacturers. Bagasse is used as fuel for boiler. Solar power panels</p>



	inside plant premises/adjacent/nearby areas.	will be installed for street lights in due course of time.
(x)	Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and RO, MOEFCC. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and Total Dissolve Solids shall be monitored and report submitted to the Ministry's Regional Office.	Noted. Procurement of piezometers is under progress. However, periodical ground water analysis is being done and report is submitted to SPCB and RO MOEFCC.
(xi)	CO2 generated will be bottled and supplied to manufacturers of beverages/secondary uses.	Noted. In due course of time CO2 bottling plant will be installed.
(xii)	PP shall allocate at least Rs. 1 crores/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Health check-up camp is done regularly in our factory premises and workers health records are maintained. Factory is provided all necessary safety provisions to employees regularly.
(xiii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Noted and safety training is conducted regularly..
(xiv)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. PESO certificate shall be obtained.	Fire hydrant system is provided in and around the industry. PESO certificate obtained and attached as Annexure-2 .
(xv)	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. Filter press shall be installed for sludge drying.	Not applicable as there is no process organic residue , spent carbon, process inorganic & evaporation salt generation in our process.
(xvi)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Noted. Followed. Bagasse and Molasses are being recycled completely.
(xvii)	The green belt of at least 5-10 m width shall be developed in 15 Ha i.e. nearly 34% of the total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be	Noted and Every year plantation is being done. Around 12000 plants have been planted within the plant.



	monitored through remote sensing map. Approx. 1,50,000 trees shall be planted. Greenbelt development shall be completed before commissioning of plant.	
(xviii)	PP proposed to allocate Rs. 8.0 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan for monitorable activities like up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration	Noted and extended EMP(CER) activities are being done. Details attached. Further, every year additional activities will be undertaken as CER plan submitted.
(xix)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 20% shall be allotted solely for parking purposes with facilities like rest rooms etc. Village/approach road shall be maintained along with avenue plantation along the road.	Noted. We will ensure that no vehicle is parking outside the plant area and strictly followed.
(xx)	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	Noted. Complied. Bagasse covered in tarpaulins. All stockpiles are covered over impervious soil and garland drains with catch pits to trap runoff material.
(xxi)	Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises	Continuous online (24x7) monitoring system for stack emissions/ effluent are being connected to the KSPCB & CPCB server and data is being regularly transferred.
(xxii)	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/	Separate Environment Management Cell has been established with Environmental Science qualified person as Head of Environment. Environment Monitoring activities have



	Managing Director/CEO as per company hierarchy.	been carried out through NABL accredited Laboratory. EMC Head is directly reporting to Unit Head
(xxiii)	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12 th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Awareness programme is conducted yearly twice in the company for ban on single use plastic. A photograph is attached with Six monthly compliance report.

B. General Conditions:

(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and followed strictly.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED based lightning are being used in the existing unit and advance technics will be installed for energy conservations.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Conducting periodical noise levels monitoring at 04 locations by employing MOEF/NABL approved laboratory and submitting the analysis reports to the KSPCB/RO MoEFCC regularly.
(iv)	The company shall undertake all relevant measures for improving the socio- economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed. undertaken CER activities in the surrounding villages involving the local authorities. Details furnished as annexures.
(v)	The company shall earmark sufficient funds	Noted and followed



	towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment (management/pollution control measures shall not be diverted for any other purpose.	accordingly.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	Complied and acknowledgement copy attached.
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	Complied. Submitting the compliance reports to Regional Office of MOEF, and RO KSPCB for the existing Sugar and Co-gen unit & Distillery unit.
(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Complied. We are submitting the Environmental statement every year to KSPCB & Regional Office, MOEFCC.
(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Newspapers advertisement copy attached for your perusal.
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the	Agreed. Complied.



	project.	
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.
19	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said condition in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted. Agreed.
20	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
21	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
22	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted and followed accordingly.
23	This issues with the approval of the competent authority.	Noted.

For Shree Basaveshwar Sugars Ltd.,



Authorized Signatory



Annexure -F

ಕರ್ನಾಟಕ ಭಾಗದ ಜಲ ನಿರ್ವಹಣೆ ನಿಂರಂಬಿತ

ನಂ: ಕ್ಯಾಂಪ್‌ಷಿನ್‌(ನಿ): ಆರ್.ಎಂ.ಎಂ.ಎಂ. 2
2001-02: 2109

ಎಕ್ಸ್‌ಕ್ರೆಪ್‌ಟರ್ ಇಂಜಿನೀಯರ್‌ರ ಕ್ರೆಡಿಟ್;
ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಸೆಂಟ್‌ ಬ್ಯಾಗ್,
ಅಳುಪ್ಪತ್ತ.

ದಿನಾಂಕ:

24 SEP 2001

ದ್ವಾರಾ ನೀರಾರ್ಥಕ ನಿರ್ವಹಣೆ ಕ್ರೆಡಿಟ್
ಬ್ಯಾಗ್ ಬಂದೆ ಇತರ ಸರ್ಕಾರಿ ಕಾರ್ಬಿಡ್‌ನಾಮಿನ
ಅಳುಪ್ಪತ್ತ.

ವರಾನ್ಯತ,

ಈಂಬಂತು: permission-for lifting water from
the Almatti Reservoir for Shri
Babu V. Sahayam Sugar Limited Mudhol.

ಖಾಲ್‌ನಂ: 1) ನಕಾರಿದ ಪತ್ರ ನಂ: ಜ.ನ-02: 102: ದಿಂದಂತಂತೆ:
01 ದಿ: 1-8-2001.

2) ಚಲ್‌ನಂ: ಇಂಡಿಯನ್‌ಲಿಂಟ್‌ಪರ್ಪಲ್ ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ ಕಾಂಪ್‌
ಅಳುಪ್ಪತ್ತ ಕ್ರೆಡಿಟ್‌ ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ ಪತ್ರ ನಂ: 2271
ದಿ: 14-9-2001.

೦೦೦

ಮುತ್ತಿನ ವಿಧಂತಪ್ರಸಾಧನದ್ವಾರ್ಯ ಕ್ರೆಡಿಟ್ ನೀರಾರ್ಥಕ ಕಾರ್ಬಿಡ್‌ನಾಮಿ
ದ್ವಾರಾ ನಿರ್ವಹಣೆ ಅಳುಪ್ಪತ್ತ ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ ಕಾರ್ಬಿಡ್‌ನಾಮಿ
ಇಂಡಿಯನ್‌ಲಿಂಟ್‌ಪರ್ಪಲ್ ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ
ಅಳುಪ್ಪತ್ತ ಅನುಮತಿಯನ್ನು ನೀಡಿರುವರು. ಇಂಡಿಯನ್‌ಲಿಂಟ್‌ಪರ್ಪಲ್
ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಳುಪ್ಪತ್ತ ನಿರ್ವಹಣೆ ಅನುಮತಿಯನ್ನು ನೀಡಿರುವರು.

ತವರು ದಿಂದಂತಾಗಿ,

ಎಕ್ಸ್‌ಕ್ರೆಪ್‌ಟರ್ ಇಂಜಿನೀಯರ್‌ರ
ಕಾರ್ಬಿಡ್‌ನಾಮಿ ಅಸೆಂಟ್‌ ಬ್ಯಾಗ್,
ಅಳುಪ್ಪತ್ತ.

24/9/2001



ప్రతియానుపై పుట్టు ఇందనించుట, కృభూజనిని, ఆసెంబ్లీ చెందుట,
ప్రయత్నించువర్చు చెందిన సమాజ క్రమాలకు ఉన్నాడు;

A photograph of a document page with handwritten text and a large red 'X' mark. The text is in a cursive script, likely Devanagari, and includes the letters 'PGB', 'ES', and '156'. A large red 'X' is drawn across the middle of the page.

కృ. శాస్త్ర మాన్యమ్ / ౪౮/౧
సరథారెడ అధిన కాంపియస్. (అంతి.ప.)
జప సంస్థలూ ఇంచి (కృభాజనని దిశేణ కూడా)

ಸಾಯಂ : ತ್ಯಾಭಾಷಣ (ನ) ; ಪುಂಜಂತಿ : ಸಂಶೋಧನೆ- ೦೧-೦೨ : ೧೨೭ | ೧೮೬೫

୭. ପାତିଂମୁନ୍ଦ୍ର ଦକ୍ଷ କୁର୍ଯ୍ୟିତ ରୂପନିର୍ଦ୍ଦିତମୁର, କୁର୍ବାଜନିନ୍ଦା
ଅନ୍ତର୍ଭବତ୍ ପିଭାଗ ଉପଦ୍ରବୀପ ରୂପର ମୁଦ୍ରଣଗାଗି ହୁଏଥିବା ମୁକ୍ତ କୁର୍ବାଜା.

చుట్టూ ఇంజనీరులు పదానికి కుట్టాడని (న) ఆనేకంపాల చటంలు ఉపచిప్పామి.

ଜୀବିତ



ରନ୍ଧ୍ରାମ୍ବଦ୍ଧି

ಕನ್ನಡ ಸಾಹಿತ್ಯದ ಇತಿಹಾಸದಲ್ಲಿ
ನಿರ್ಗಂಧ ಸ್ವರ್ಚಿತ, ವಿಜ್ಞಾಪಿತ

ಕ್ರಮಾಂಕ : ಜಾರಾ : 102 : ದಿನಾಂಕ : 2001

ଅଂତ,

କବିତା

వ్యాఘరాదచర నిదీండుశరప,
క్రాంక్ర భూగ్రా జల సూపుపును సంపుముతు;
బీంగారం ప : ఆరుముచీ,

మానసర్

Answer:- Permission for lifting water for the Alwatti Reservoir for Sri Basaveshwara Sugar Limited, Alwatti.

U.O. Note No. MD/95/TECH/295 dated 9.7.2001/ from Managing Director, XBRL, Bangalore.

688

ଶର୍ମିଷ୍ଠାନ ପରିବାର

સંબંધ

(ప్రా.సం.ప్రదయరథముక్కు) నుఁడుపుడ అర్థాన శాయపురాయీర (ప్రా.ప్రతి.క), ఈ సంఘముక్కుల అంశాలు (ప్రమాణముని దశల్చు క్రూరు).

Digitized by Google

Annexure - II

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिकारपत्रों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञाप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञाप्ति सं. (Licence No.) : P/SC/KA/15/2929(P550063)

फीस रूपए (Fee Rs.) 50000/- per year

M/s. SHREE BASAVESHWAR SUGARS LIMITED, NH218 Karjol village, NH218 Karjol village, Karjol, Bijapur, Taluka: Bijapur, District: BIJAPUR, State: Karnataka, PIN: 586108 को केवल इसमें यथा विनिर्दित वर्ग और मात्राओं में पेट्रोलियम 3060.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/SC/KA/15/2929(P550063) तारीख 25/05/2023 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भंडारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञाप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञाप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. SHREE BASAVESHWAR SUGARS LIMITED, NH218 Karjol village, NH218 Karjol village, Karjol, Bijapur, Taluka: Bijapur, District: BIJAPUR, State: Karnataka, PIN: 586108 valid only for the importation and storage of 3060.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/SC/KA/15/2929(P550063) dated 25/05/2023 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञाप्ति 31st day of December 2025 तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December 2025

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञाप्त मात्रा (किलोलीटरों में) /Quantity licensed in KL
वर्ग का प्रथम पेट्रोलियम /Petroleum Class A in bulk	3060.00 KL
वर्ग का प्रथम पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रथम पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रथम पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रथम पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रथम पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	3060.00 KL

May 25, 2023

For Lt. Chief Controller of Explosives
SC, Chennai

अनुज्ञाप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञाप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टांश संलग्न अनुमोदित नक्शों में दिखाई गई हैं Survey No: 35, Karjol Village, Babaleshwar, Vijaypur, Karjol, Bijapur, Taluka: Bijapur, District: BIJAPUR, State: Karnataka, PIN: 586108 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 7 Above Ground tank(s) for CLASS A सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Survey No: 35, Karjol Village, Babaleshwar, Vijaypur, Karjol, Bijapur, Taluka: Bijapur, District: BIJAPUR, State: Karnataka, PIN: 586108 and consists of 7 Above Ground tank(s) for CLASS A together with connected facilities.

Note:-This is system generated document does not require signature.



Digitally signed by MANMEET SINGH MANHAS
Reason: Licence No. : P/SC/KA/15/2929
Location:South Circle Office [P550063]
Date:2023.05.25 02:08:18 +05:30

अनुज्ञाप्ति संख्या-(Licence No.) P/SC/KA/15/2929 (P550063)

नवीनीकरण के प्राप्तांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीनीकरण की तारीख समाप्ति की तारीख अनुज्ञापन प्राधिकारी के हस्ताक्षर और उनके अधीन बनाए गए नियमों या इस अनुज्ञाप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञाप्ति फ़िस में बिना किसी छूट के दस वर्ष Date of Renewal Date of Expiry of license Signature and office stamp of the licencing authority.

तक नवीनीकरण की जा सकेगी।

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

यदि अनुज्ञाप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञाप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञाप्ति रद्द की जा सकती है और अनुज्ञाप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुमनि से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुमनि से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.



Digitally signed by MANMEET SINGH MANHAS
Reason: Licence No. : P/SC/KA/15/2929
Location:South Circle Office (P550063)
Date:2023.05.26 02:08:27 +05:30